

Yancheng the Great Wall Glass Instruments Manufacturer Co.,Ltd

ADD: NO.158 SOUTH JIEFANG ROAD,YANCHENG,JIANGSU,CHINA

TEL: 0086-515-88821977 FAX:0086-515-88434701 MOBILE: 0086-13770068289

<http://www.greatwaglass.com> email: sales@greatwaglass.com

 1101	1101	GG17 BEAKER low form				
		With spout and graduations				
	Capacity (ml)	O.D. (mm)	Height (mm)	Price USD/UNIT		
	25	34	53	0.281		
	50	42	60	0.281		
	100	51	70	0.281		
	150	60	80	0.306		
	200	65	88	0.324		
	250	70	95	0.374		
	300	75	102	0.408		
	400	80	110	0.510		
	500	87	118	0.562		
	600	90	125	0.612		
	800	100	135	0.749		
	1000	106	145	0.971		
	2000	132	185	2.008		
	3000	152	210	3.046		
	5000	170	270	4.424		
	10000	230	330	16.718		

 1102	1102	GG17 BEAKER tall form				
		With spout and graduations				
	Capacity (ml)	O.D. (mm)	Height (mm)	Price USD/UNIT		
	50	38	70			
	100	48	80	0.465		
	150	54	95	0.487		
	250	60	120	0.643		
	400	70	130	0.820		
	600	80	150	1.092		
	800	90	175	1.390		
	1000	95	185	1.573		


 1103	1103	GG17 BEAKER conical				
		With spout				
	Capacity (ml)	O.D. at top (mm)	O.D. at base (mm)	Height (mm)	Price USD/UNIT	
	125	34	55	110	0.665	
	250	43	70	138	0.887	
	500	53	88	156	1.263	

 1104	1104	GG17 BEAKER dyeing				
	Capacity (ml)	O.D. at top (mm)	O.D. at base (mm)	Height (mm)	Price USD/UNIT	
	250	95	65	128	2.266	
	400	105	75	138	2.942	

 1111	1111	GG17 BOILING FLASK				
		Flat bottom, long narrow neck				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT	
	50	20	53	100	0.465	
	100	21	65	120	0.533	
	150	22	76	140	0.580	
	250	25	88	160	0.732	
	500	30	110	200	1.041	
	1000	35	140	250	1.713	
	2000	40	175	300	3.208	


1111	3000	50	199	370	5.039	
	5000	55	235	400	7.475	
	10000	60	297	530	14.461	
	15000	70	325	580	20.826	
	20000	80	370	620	27.880	

 1115	1115	GG17 BOILING FLASK				
		Round bottom, long neck				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT	
	50	20	53	100	0.465	
	100	21	65	120	0.533	
	150	22	76	140	0.580	
	250	25	88	160	0.732	
	500	30	110	200	1.041	
	1000	35	140	250	1.713	
	2000	46	175	305	3.208	
	3000	50	199	380	5.039	
	5000	55	235	415	7.565	
	10000	65	297	550	14.461	
	15000	68	330	600	20.826	
	20000	76	370	650	27.880	
	30000	95	404	670		
	50000	107	455	700		

 1117	1117	GG17 BOILING FLASK				
		Round bottom, short neck				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT	
	250	30	86	120	0.818	
	500	40	110	160	1.170	
	1000	45	140	200	1.938	

 1118	1118	GG17 NITROGEN FLASK				
		Round bottom, long neck				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT	
	100	22	60	200	0.861	
	150					
	250	34	81	270	1.357	
	500	34	101	300	2.066	
	1000	34	126	350	2.927	

 1120	1120	GG17 BOILING FLASK				
		conical, wide neck,,with gradutions				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT	
	50	34	51	85	0.488	
	100	34	64	105	0.543	
	200	50	79	131	0.621	
	250	50	85	140	0.762	
	300	50	87	156	0.789	
	500	50	105	175	1.140	
	1000	50	131	220	2.033	
	2000	72	153	275	3.816	
	3000	106	190	285	5.935	

 1121	1121	GG17 CONICAL FLASK Erlenmeger				
		With gradutions,				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT	
	50	22	51	85	0.373	
	100	22	64	105	0.416	
	150	28	71	120	0.438	
	200	34	77	132	0.477	
	250	34	85	140	0.584	
	300	34	89	153	0.604	


500	34	105	175	0.873	
1000	42	131	220	1.558	
2000	50	166	280	2.923	
3000	50	187	310	4.434	
5000	50	220	365	6.803	
10000					


 1122	1122	GG17 CONICAL FLASK				
		With ground-in glass stopper				
	Capacity (ml)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT		
	50	50	90	0.680		
	100	60	108	0.831		
	150			1.034		
	250	83	140	1.125		
	500	98	185	1.697		
	1000	130	230	2.570		

 1123	1123	IODINE FLASK				
		Wide spout, with standard ground stopper				
	Capacity (ml)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT		
	50	50	110	1.256		
	100	60	114	1.512		
	150			1.550		
	250	83	155	1.814		
	500	98	200	2.552		
	1000			3.472		

 1131	1131	DISTILLING FLASK				
		With side tube				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D. of Side tube (mm)	Height (mm)	Price USD/UNIT
	125	23	70	7.5	190	1.157
	250	25	88	8	220	1.595
	500	30	100	9	270	2.449
	1000	35	140	10	350	4.020
	2000	46	175	12	410	

 1133	1133	DISTILLING FLASK				
		Engter				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT	
	125	17	69	215		

 1135	1135	DISTILLING FLASK				
		Ctaissen				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D. of Side tube (mm)	Height (mm)	Price USD/UNIT
	125	23	70	7.5	190	
	250	25	88	8	220	
	500	30	110	8.5	270	
	1000	36	140	9.5	350	
	2000	46	175	11.5	410	

 1141	1141	FLASK				
		Round bottom, with three necks				
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D. of Side tube (mm)	Height (mm)	Price USD/UNIT
	250	26	88	20	140	1.780
	500	30	110	22	175	2.234
	1000	35	140	24	215	3.108


2000	46	175	28	260	5.056
3000					
5000	56	235	32	355	
10000					
20000					

 1143	1143	FLASK				
	Round bottom,with four necks					
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D.of Side tube (mm)	Height (mm)	Price USD/UNIT
	250	26	88	20	140	
	500	30	110	22	175	
	1000	35	140	24	215	
	2000	46	175	28	260	
	3000					
	5000	56	235	32	355	
	10000					
	20000					

 1161	1161	RETORT				
		With ground-in glass stopper				
	Capacity (ml)	O.D. of bulb (mm)	Length of Side neck (mm)	Price USD/UNIT		
	250	86	225	3.831		
	500	105	300	4.754		
	1000	130	340	6.052		

 1171	1171	EVAPORATING DISH				
		Flat bottom, with spout				
	O.D.of top (mm)	Height (mm)	Price USD/UNIT			
	60	30	0.626			
	90	45	0.709			
	120	60	0.909			
	150	75	1.209			


 1172	1172	EVAPORATING DISH				
	Round bottom,with spout					
	O.D.of top (mm)	Height (mm)	Price USD/UNIT			
	60	30	0.626			
	90	45	0.709			
	120	60	0.909			
	150	75	1.209			


 1173	1173	CRYSTALLIZING DISH				
	with spout					
	O.D.of top (mm)	Height (mm)	Price USD/UNIT			
	60	40	0.665			
	90	45	0.929			
	100	50	1.108			
	125	63	1.395			
	150	75	2.195			
	180	90	3.147			


 1175	1175	WATCH GLASS			
	Diameter (mm)	Price USD/UNIT			
	45	0.135			
	60	0.148			
	70	0.172			
	80	0.223			
	90	0.240			


	100	0.278				
	120	0.296				
	150	0.389				
	180	0.590				

 1177	1177	PETRI CULTURE DISH				
	Cover dia (mm)	Bottom dia. (mm)	Height (mm)	Price USD/UNIT		
	65	60	15	0.304		
	82	75	15	0.333		
	98	90	18	0.409		
	107	100	20	0.446		
	130	120	25	0.716		
	160	150	30	1.275		

 1201	1201	DISTILLING TUBE				
		Plain				
	O.D.of tube (mm)	O.D.of Side tube (mm)	Length (mm)	Price USD/UNIT		
	15	6	200	0.303		

 1202	1202	DISTILLING TUBE				
		With one bulb				
	O.D.of tube (mm)	O.D.of bulb (mm)	Length (mm)	Price USD/UNIT		
	17	40	250	0.464		

 1203	1203	DISTILLING TUBE				
		With two bulbs				
	O.D.of tube (mm)	O.D.of bulb (mm)	Length (mm)	Price USD/UNIT		
	17	40	300	0.579		


 1207	1207	DISTILLING TUBE				
		With thorn,Vigreux				
	Length of Vigreux tube (mm)	O.D.of tube (mm)	O.D.of Side bulb (mm)	Length (mm)	Price USD/UNIT	
	250	21	6	410	1.232	
	400	23	7	560	1.632	
	500	25	8	690	2.236	
	600	27	9	790	2.750	
	800	30	10	1020	4.414	
	1000	33	11	1220	6.727	

 1211	1211	CONDENSER				
		Air cooling				
	Length of jacket (mm)	O.D.of tube (mm)	Cooling area (dm ²)	Length (mm)	Price USD/UNIT	
	200	11	1.2	450	0.237	
	250	11	1.4	500	0.258	
	300	11	1.6	570	0.278	
	400	12	2.1	670	0.329	
	500	13	2.8	800	0.373	
	600	14	3.5	900	0.471	

	1213	CONDENSER Liebig				
		With fused inner tube				

 1213	Length of jacket (mm)	O.D.of. Upper tube (mm)	Cooling area (dm ²)	Length (mm)	Price USD/UNIT	
	200	18	0.7	350	1.153	
	250	18	1	420	1.342	
	300	20	1.1	480	1.598	
	400	22	1.6	590	1.832	
	500	24	2.2	710	2.069	
	600	24	2.8	810	2.476	
	800	28	4.3	1050	4.876	
	1000	28	5.7	1250	6.190	

 1214	1214	CONDENSER Allihn				
		With bulbed inner tube				
	Length of jacket (mm)	O.D.of. Upper tube (mm)	Cooling area (dm ²)	Length (mm)	Price USD/UNIT	
	200	18	1	350	1.458	
	250	18	1.5	420	1.682	
	300	20	1.8	480	1.888	
	400	22	2.7	590	2.252	
	500	24	3.7	710	2.716	
	600	24	4.9	800	3.234	
	800	28	7.6	1050	7.371	
	1000	28	10	1250	8.848	
	1200	33	12.7	1360		
	1500	33	17	1720		

 1215	1215	CONDENSER Graham				
		With coiled inner tube				
	Length of jacket (mm)	O.D.of. Upper tube (mm)	Cooling area (dm ²)	Length (mm)	Price USD/UNIT	
	200	18	2.3	350	1.784	
	250	20	2.7	420	2.087	
	300	20	3.3	480	2.255	
	400	22	4.7	590	2.697	
	500	24	7	710	3.584	
	600	24	8.2	810	4.506	

 1216	1216	CONDENSER reflux, Dimroth				
		With coiled inner tube				
	Length of jacket (mm)	O.D.of. Upper tube (mm)	Cooling area (dm ²)	Length (mm)	Price USD/UNIT	
	300	20	5.4	480	3.619	
	400	22	7.3	590	4.121	
	500	24	9.2	710	5.211	
	600	24	10.5	810	6.171	

 1217	1217	CONDENSER				
		Reflux, straight shape, Hopkin				
	Length of jacket (mm)	Cooling area (dm ²)	Length (mm)	Price USD/UNIT		
	300	2.4	420	3.511		

 1221	1221	ADAPTER TUBE				
		straight				
	O.D.of. tube (mm)	O.D.of bottom (mm)	Length (mm)	Price USD/UNIT		
	15	8	150	0.088		
	18	9	150	0.132		
	25	10	180	0.171		
	30	12	200	0.258		

 1222	ADAPTER TUBE bent				
---	-------------------	--	--	--	--

 1222	1222					
	O.D.of. tube (mm)	O.D.of bottom (mm)	Length (mm)	Price USD/UNIT		
	15	8	150	0.151		
	18	9	150	0.221		
	25	10	180	0.268		
	30	12	200	0.369		

 1224	1224	CONNECTION TUBE T-shape				
	O.D.of. tube (mm)	Length branches (mm)	Length (mm)	Price USD/UNIT		
	7-8	50	100	0.083		
	10-11	60	120	0.103		
	15-16	75	150	0.155		

 1225	1225	CONNECTION TUBE Y-shape				
	O.D.of. tube (mm)	Length branches (mm)	Length (mm)	Price USD/UNIT		
	7-8	50	100	0.093		
	10-11	60	120	0.118		
	15-16	75	150	0.165		

 1226	1226	CONNECTION TUBE U-shape				
	O.D.of. tube (mm)	Length branches (mm)	Length (mm)	Price USD/UNIT		
	7-8	50	100	0.106		
	10-11	60	120	0.138		

 1231	1231	TEST TUBE				
		Without rim				
	O.D.of tube × Length (mm)	Neutral Glass	Boro 3.3 Glass			
		Price USD/UNIT	Price USD/UNIT			
	10 × 75	0.0136	0.0271			
	10 × 100	0.0152	0.0303			
	12 × 75	0.0136	0.0271			
	12 × 100	0.0152	0.0303			
	13 × 100	0.0159	0.0287			
	13 × 150	0.0191	0.0399			
	15 × 100	0.0207	0.0431			
	15 × 150	0.0255	0.0526			
	16 × 100	0.0223	0.0447			
	16 × 160	0.0271	0.0558			
	18 × 150	0.0303	0.0686			
	18 × 180	0.0335	0.0813			
	21 × 150	0.0622	0.1053			
	21 × 200	0.0702	0.1196			
	25 × 150	0.0782	0.1372			
	25 × 200	0.0861	0.1563			
	25 × 250	0.0941	0.1754			
	30 × 300	0.1164	0.2073			

	1232	TEST TUBE				
		With rim				
	O.D.of tube × Length (mm)	Neutral Glass	Boro 3.3 Glass			
		Price USD/UNIT	Price USD/UNIT			
	10 × 75	0.0152	0.0287			

 1232	10x100	0.0167	0.0319			
	12x75	0.0152	0.0287			
	12x100	0.0167	0.0319			
	13x100	0.0183	0.0303			
	13x150	0.0207	0.0415			
	15x100	0.0223	0.0447			
	15x150	0.0271	0.0542			
	16x100	0.0239	0.0463			
	16x160	0.0287	0.0574			
	18x150	0.0319	0.0702			
	18x180	0.0351	0.0829			
	21x150	0.0638	0.1069			
	21x200	0.0734	0.1228			
	25x150	0.0829	0.1404			
	25x200	0.0893	0.1595			
	25x250	0.0973	0.1786			
	30x300	0.1196	0.2153			

 1233	1233 FERMENTATION TEST TUBE					
	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT			
	6	30	0.032			

 1234	1234 TEST TUBE					
	With side tube					
	O.D.of tube × Length (mm)	Price USD/UNIT				
	12 × 100	0.121				
	15 × 150	0.141				
	18x150	0.156				
	21x150	0.175				
	21x180	0.195				
	25x200	0.297				

 1236	1236 TEST TUBE					
	With graduations					
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT	
	5	0.1	11	110	0.185	
	10	0.2	14	130	0.208	
	15	0.2	15	150	0.241	
	20	0.5	17	165	0.290	
	25	0.5	18	180	0.317	
	30	0.5	19	180	0.330	
	50	1	23	200	0.396	

 1237	1237 TEST TUBE					
	With ground-in glass stopper					
	Capacity (ml)	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT		
	5	12	130	0.314		
	10	15	160	0.330		
	15	16	180	0.350		
	20	18	190	0.366		

 1238	1238 TEST TUBE					
	With graduations and ground-in glass stopper					
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT	
	5	0.1	12	130	0.495	
	10	0.2	15	160	0.528	
	15	0.2	16	180	0.570	
	20	0.5	18	190	0.612	

 1241	1241	CENTRIFUGE TUBE				
		conical				
	Capacity (ml)	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT		
	5	14	90	0.123		
	10	17	110	0.123		
	15	19	120	0.135		
	25	23	140	0.217		
	50	33	150	0.454		

 1242	1242	CENTRIFUGE TUBE				
		Conical, with graduations				
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT	
	5	0.1	13	95	0.250	
	10	0.1	17	110	0.317	
	15	0.1	19	120	0.378	
	25	0.2	23	140	0.566	
	50	0.2	33	150	0.698	

 1243	1243	CENTRIFUGE TUBE				
		Round bottom				
	Capacity (ml)	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT		
	50	35	100			


 1244	1244	CENTRIFUGE TUBE round bottom				
		with graduations				
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT	
	50	1	35	100	0.698	
	100	2	41	115	0.985	

 1245	1245	ELECTROPLATE CENTRIFUGE TUBE				
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price USD/UNIT	
	0.3	0.01	28	135		


 1251	1251	MELTING POINT TUBE Thide				
	O.D.of. tube (mm)	O.D.of. Side tube (mm)	Length (mm)	Price USD/UNIT		
	24	10	150			


 1252	RG1252	MELTING POINT TUBE Dennis				
	O.D.of. tube (mm)	O.D.of. Side tube (mm)	Length (mm)	Price USD/UNIT		
	24	10	180			

 1271A	1271A	STOPCOCK straight bore,				
		Two-way				
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price USD/UNIT		
	2	8	120	0.775		
	4	8	120	0.844		
	6	10	120	1.622		
	8	12	120	2.156		
	10	14	120	2.680		
	12	17	120	3.507		
	15	20	120			
	20	23	120			


 1272	1272	STOPCOCK T-shape, Three-way				
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price USD/UNIT		
	2	8	120	1.123		
	4	8	120	1.413		
	6	10	120	2.298		
	8	12	120	3.046		
	10	14	120	3.807		

 1273	1273	STOPCOCK oblique bore, Two-way				
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price USD/UNIT		
	2	8	120			
	4	8	120			

 1274	1274	STOPCOCK oblique bore, Three-way				
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price USD/UNIT		
	2	8	120			
	4	8	120			

 1276	1276	STOPCOCK With curved outlet				
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price USD/UNIT		
	2	8	120			
	4	8	120			

 1281	1281	FILTER PUMP Globe shape Geissler				
	O.D.of upper tube (mm)	O.D.of side tube (mm)	Length (mm)	Price USD/UNIT		
	18	9	330	0.749		

 1282	1282	FILTER PUMP				
	O.D.of upper tube (mm)	O.D.of side tube (mm)	Length (mm)	Price USD/UNIT		
	18	8	232	1.120		

 1283	1283	FILTER PUMP with stopcock				
	O.D.of upper tube (mm)	O.D.of side tube (mm)	Length (mm)	Price USD/UNIT		
	18	9	340	1.705		


 1204	1204	STIRRER ROD				
---	------	-------------	--	--	--	--

	1274					
	O.D.of rod (mm)	Length (mm)	Price USD/UNIT			
	7~8	330	0.092			
1294						


	1298	STIRRER ROD with two folding blades				
	Max.Dia. (mm)	O.D.of rod (mm)	Length (mm)	Price USD/UNIT		
	100	6~7	450			
1298						

	1301	WEIGHING BOTTLE tall form				
	O.D. (mm)	Height (mm)	Price USD/UNIT			
	25	25	0.284			
	25	40	0.300			
	30	50	0.398			
	30	60	0.445			
	30	70	0.495			
	45	70	0.616			
1301						

	1302	WEIGHING BOTTLE low form				
	O.D. (mm)	Height (mm)	Price USD/UNIT			
	40	25	0.518			
	50	30	0.647			
	60	30	0.881			
	70	35	1.250			
1302						

	1311	GAS DRYING TOWER				
	Capacity. (ml))	O.D.of body (mm)	Height (mm)	Price USD/UNIT		
	250	50	330	4.424		
	500	60	400	5.679		
1311						

	1313	GAS WASHING BOTTLE Muencks				
	Capacity. (ml))	Height of body (mm)	Ground mouth	Total height (mm)	Price USD/UNIT	
	250	170	34/35	250	2.897	
	500	240	34/35	315	3.592	
1313						

	1314	GAS WASHING BOTTLE Drechsel				
	Capacity. (ml))	Height of body (mm)	Ground mouth	Total height (mm)	Price USD/UNIT	
	250	170	34/35	250	2.897	
	500	240	34/35	315	3.592	
1314						

	1316	GAS WASHING BOTTLE steel				


	Capacity. (ml))	O.D.of side tube (mm)	Height (mm)	Price USD/UNIT		
	125	8	220			
1316						

	1321	DRYING TUBE with one bulb				
	O.D.of tube (mm)	Length (mm)	Price USD/UNIT			
	17	145	0.152			
1321						


	1322	DRYING TUBE with two bulbs				
	O.D.of tube (mm)	Length (mm)	Price USD/UNIT			
	17	160	0.188			
1322						

	1324	DRYING TUBE U-shape,plain				
	O.D.of tube (mm)	Length (mm)	Price USD/UNIT			
	13	100	0.185			
	15	150	0.244			
	20	200	0.304			

	1325	DRYING TUBE U-shape With two side tubes				
	O.D.of tube (mm)	O.D.of side tube (mm)	Height (mm)	Price USD/UNIT		
	13	5	100	0.264		
	15	6	150	0.350		
	20	7	200	0.452		


	1326	DRYING TUBE U-shape With two side tubes and two stoppers				
	O.D.of tube (mm)	O.D.of side tube (mm)	Height (mm)	Price USD/UNIT		
	13	5	100	0.922		
	15	6	150	1.102		
	20	7	200	1.288		


	1341	NITROGEN BULB bulb form,Kjeldahl				
	O.D.of tube (mm)	O.D.of side tube (mm)	Length (mm)	Price USD/UNIT		
	65	10	220	0.739		
1341						

	1342	NITROGEN BULB cylindrical form,Kjeldahl				
	O.D.of tube (mm)	O.D.of side tube (mm)	Length (mm)	Price USD/UNIT		
	45	10	260	0.900		
1342						

	1346	AUTOMATIC FILLING TUBE				


 1346	Capacity (ml)	Length (mm)	Price USD/UNIT			
	5	260				
	10	260				
	15	260				
	20	260				
	25	260				
	30	260				
	40	260				
	50	260				

 1347	1347	AUTOMATIC FILLING BOTTLE				
	Capacity (ml)	Length (mm)	Price USD/UNIT			
	5	100				
	10	100				
	15	100				
	20	100				
	25	120				
	30	120				
	40	150				
	50	150				


 1351	1351	DESICCATOR				
	With porcelain plate					
	I.D. (mm)	Height of plate (mm)	Total height (mm)	Price USD/UNIT		
	100	60	165	3.269		
	150	90	220	4.288		
	180	100	280	5.639		
	210	110	320	7.815		
	240	120	360	12.206		
	300	140	450	18.407		


 1352	1352	DESICCATOR amber				
		With porcelain plate				
	I.D. (mm)	Height of plate (mm)	Total height (mm)	Price USD/UNIT		
	100	60	165	4.727		
	150	90	220	6.299		
	180	100	280	8.273		
	210	110	320	11.570		
	240	120	360	17.908		
	300	140	450	27.080		


 1354	1354	VACUUM DESICCATOR				
		Clear, with ground-in stopcock and porcelain plate				
	I.D. (mm)	Height of plate (mm)	Total height (mm)	Price USD/UNIT		
	150	90	220	6.338		
	180	100	280	8.092		
	210	110	320	11.368		
	240	120	360	17.567		
	300	140	450	26.531		

 1355	1355		VACUUM DESICCATOR			
	amber, with ground-in stopcock and porcelain plate					
	I.D. (mm)	Height of plate (mm)	Total height (mm)	Price USD/UNIT		
	150	90	220	8.488		
	180	100	280	10.836		
	210	110	320	16.310		
	240	120	360	25.206		
	300	140	450	38.065		

 1361	1361	GAS GENERATOR Kipp's				
---	------	----------------------	--	--	--	--

 1361	1361	with safe funnel,stop cock and rubber stopper				
	Capacity (ml)	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT		
	250	82	314	8.475		
	500	98	360	15.466		
	1000	130	450	22.685		


 1371	1371	BELL JAR clear,with knob top				
	I.D. (mm)	Height (mm)	Price USD/UNIT			
	120	180	1.794			
	150	200	2.370			
	150	250	3.579			
	180	250	4.848			
	200	300	9.702			

 1372	1372	BELL JAR Amber,with knob top				
	I.D. (mm)	Height (mm)	Price USD/UNIT			
	120	180				
	150	200				
	150	250				
	180	250				
	200	300				

 1381	1381	ALCOHOL LAMP with plastic cap				
	Capacity (ml)	Height (mm)	Price USD/UNIT			
	150	118	0.467			
	250	130	0.510			

 1383	1383	MORTAR with glass pestle				
	I.D. (mm)	Height (mm)	Price USD/UNIT			
	60	40	0.623			
	75	40	0.811			
	90	50	0.980			
	120	60	1.622			
	150	85	2.433			
	180	96	3.569			

 1385	1385	PNEUMATIC TROUGH round form				
	O.D. (mm)	Height (mm)	Price USD/UNIT			
	120	80	0.93			
	150	90	1.335			
	180	100	1.984			
	210	110	2.481			
	240	125	3.023			
	300	145	4.958			

 1386	1386	JAR storage for incubator use				
	O.D. (mm)	Height (mm)	Price USD/UNIT			
	100	300	3.284			
	250	250	14.131			
		300	24.633			

	1401	REAGENT BOTTLE clear,narrow mouth				
		With ground-in glass stopper,or plastic stopper				



1401


Capacity (ml)	Dia.of bottle (mm)	Dia.of mouth (mm)	Height (mm)	Price USD/UNIT	
30	40	18	76	0.322	
60	46	22	85	0.373	
125	57	24	110	0.425	
250	70	27	135	0.512	
500	85	33	172	0.682	
1000	106	38	202	1.044	
2500	145	48	270	1.853	
5000	185	58	338	3.749	
10000	225	68	430	7.798	
20000	265	82	520	16.462	

 1402	1402	REAGENT BOTTLE amber,narrow mouth, With ground-in glass stopper,or plastic stopper				
	Capacity (ml)	Dia.of bottle (mm)	Dia.of mouth (mm)	Height (mm)	Price USD/UNIT	
	30	40	18	76	0.357	
	60	46	22	85	0.411	
	125	57	24	110	0.468	
	250	70	27	135	0.568	
	500	85	33	172	0.864	
	1000	106	38	202	1.309	
	2500	145	48	270	3.104	
	5000	185	58	338	5.557	
	10000	225	68	430	13.056	


 1403	1403	REAGENT BOTTLE clear,wide mouth With ground-in glass stopper,or plastic stopper				
	Capacity (ml)	Dia.of bottle (mm)	Dia.of mouth (mm)	Height (mm)	Price USD/UNIT	
	30	40	25	72	0.355	
	60	46	30	80	0.409	
	125	57	38	108	0.467	
	250	70	50	130	0.564	
	500	85	58	165	0.749	
	1000	106	65	188	1.147	
	2500	145	90	260	2.036	
	5000	185	110	330	4.134	

 1404	1404	REAGENT BOTTLE amber,wide mouth With ground-in glass stopper,or plastic stopper				
	Capacity (ml)	Dia.of bottle (mm)	Dia.of mouth (mm)	Height (mm)	Price USD/UNIT	
	30	40	25	72	0.392	
	60	46	30	80	0.452	
	125	57	38	108	0.541	
	250	70	50	130	0.650	
	500	85	58	165	0.959	
	1000	106	65	188	1.522	
	2500	145	90	260	3.260	
	5000	185	110	330	6.053	

 1405	1405	GAS COLLECTING BOTTLE With ground-in glass stopper				
	Capacity (ml)	Dia.of mouth (mm)	Dia.of bottle (mm)	Height (mm)	Price USD/UNIT	
	125	38	57	108	0.345	
	250	50	70	130	0.423	
	500	58	86	160	0.566	

 1421	1421	ASPIRATOR BOTTLE				
	Capacity (ml)	O.D.of neck (mm)	O.D. of lower mouth (mm)	Height (mm)	Price USD/UNIT	
	2500	48	30	270	3.660	

1421	5000	58	32	345	5.857	
	10000	68	35	420	10.996	
	20000	82	38	500	20.499	

 1422	1422	ASPIRATOR BOTTLE				
		With ground-in glass stopper and stopcock				
	Capacity (ml)	O.D. of neck (mm)	O.D. of lower mouth (mm)	Height (mm)	Price USD/UNIT	
	2500	48	30	270	5.341	
	5000	58	32	345	7.318	
	10000	68	35	420	13.626	
	20000	82	38	500	24.789	

 1432	1432	FILTERING FLASK				
		with side tubulature				
	Capacity (ml)	O.D.of side tube (mm)	Height (mm)	Price USD/UNIT		
	125	9	120	0.870		
	250	9	160	1.065		
	500	9	210	1.507		
	1000	9	245	2.087		
	2500	11	290	6.105		
	5000	11	370	8.112		
	10000	13	450	17.885		

 1434	1434	FILTERING FLASK				
	with tubulature at upper side and at bottom					
	Capacity (ml)	O.D.of side tube (mm)	Height (mm)	Price USD/UNIT		
	125	9	120	1.222		
	250	9	160	1.503		
	500	9	210	2.288		
	1000	9	245	2.725		
	2500	11	290	7.861		
	5000	11	370	10.391		
	10000	13	450	22.600		

	1447	CULTURE FLASK Florentine				
	Capacity (ml)	O.D.of mouth (mm)	width of bottom (mm)	Height (mm)	Price USD/UNIT	
	250	32	37	225	1.593	
	500	38	40	275	2.704	

 1451	1451	DROPPING BOTTLE				
		with ground-in pipette and latex rubber nipple				
	Capacity (ml)	O.D. of tube (mm)	Height (mm)	Price USD/UNIT		
	30	40	76	0.382		
	60	46	85	0.449		
	125	57	110	0.566		

 1452	1452	DROPPING BOTTLE Amber glass				
		with ground-in pipette and latex rubber nipple				
	Capacity (ml)	O.D. of tube (mm)	Height (mm)	Price USD/UNIT		
	30	40	76	0.445		
	60	46	85	0.518		
	125	57	110	0.657		


	1456	DROPPING BOTTLE
	Straight tip with latex rubber nipple	

	O.D. of tube (mm)	Length (mm)	Price USD/UNIT			
	7-8	90	0.073			
1456						

	1457	DROPPING BOTTLE Straight tip				
		With one bulb and latex rubber nipple				
	O.D. of tube (mm)	Length (mm)	Price USD/UNIT			
	7-8	100	0.125			
1457						

	1458	DROPPING BOTTLE Curved tip				
		With latex rubber nipple				
	O.D. of tube (mm)	Length (mm)	Price USD/UNIT			
	7-8	90	0.073			
1458						

	1459	DROPPING PIPETTE Curved tip				
		With one bulb and latex rubber nipple				
	O.D. of tube (mm)	Length (mm)	Price USD/UNIT			
	7-8	100	0.149			
1459						

	1471	GG17 BOILING FLASK				
		Round bottom, long neck				
	Height (mm)	Dia. Of body (mm)	Price USD/UNIT	Height (mm)	Dia. Of body (mm)	Price USD/UNIT
	90	45	0.695	300	90	3.151
	120	45	0.790	150	120	2.038
	150	45	0.837	180	120	2.371
	180	45	1.021	210	120	2.839
	210	45	1.233	240	120	3.282
	240	45	1.513	300	120	4.345
	90	60	0.910	180	150	3.563
	120	60	0.985	210	150	3.926
	150	60	1.124	240	150	4.456
	180	60	1.329	300	150	5.343
	210	60	1.479	400	150	6.121
	240	60	1.721	180	180	5.298
	300	60	2.397	210	180	5.742
	120	75	1.108	240	180	6.231
	150	75	1.367	300	180	7.340
	180	75	1.612	400	180	10.021
	210	75	1.853			
	240	75	2.195			
	300	75	2.749			
	120	90	1.313			
	150	90	1.486			
	180	90	1.847			
	210	90	2.176			
	240	90	2.463			

	1475	SPECIMEN BOTTLE				
		Round form				
	Capacity (ml)	O.D. (mm)	Length (mm)	Price USD/UNIT		
	125	50	90	0.324		
	250	68	125	0.421		
1475	500	85	130	0.556		

 1476	1476	SPECIMEN BOTTLE				
		Conical form				
	Capacity (ml)	O.D. (mm)	Length (mm)	Price USD/UNIT		
	125	60	104	0.339		
	250	75	135	0.439		
	500	90	160	0.581		

	1481	WASHING BOTTLE				
		flat form, with ground – in glass stopper				
	Capacity (ml)	Ground mouth (mm)	Length (mm)	Price USD/UNIT		
	250	24/29	86	2.179		
	500	24/29	108	2.661		
	1000	29/32	138			

 1482	1482	WASHING BOTTLE				
		Conical form, with ground – in glass stopper				
	Capacity (ml)	Ground mouth (mm)	Length (mm)	Price USD/UNIT		
	250	24/29	83	1.771		
	500	24/29	98	2.179		
	1000	20/32	128	2.661		

 1503	1503	FUNNEL 60° approx, long stem				
	Diameter (mm)	O.D. of stem (mm)	Length (mm)	Price USD/UNIT		
	50	7	150	0.399		
	60	8	150	0.464		
	75	9	150	0.547		
	90	11	150	0.685		

 1504	1504	FUNNEL 60° approx, short stem				
	Diameter (mm)	O.D. of stem (mm)	Length (mm)	Price USD/UNIT		
	40	7	50	0.293		
	50	7	50	0.340		
	60	8	60	0.408		
	75	9	75	0.474		
	90	11	90	0.567		

 1511	1511	FILTER FUNNEL				
	Diameter (mm)	O.D. of stem (mm)	Length (mm)	Price USD/UNIT		
	20	60	7	0.142		
	25	65	7	0.171		
	32	75	8	0.202		
	38	80	8	0.256		
	40	80	9	0.284		

 1521	1521	SAFE FUNNEL				
		Straight , thistle top				
	O.D. of top (mm)	O.D. of stem (mm)	Length (mm)	Price USD/UNIT		
	40	7~8	350	0.268		


	1522	SAFE FUNNEL				
		With loop , thistle top				
	O.D. of top (mm)	O.D. of stem (mm)	Length (mm)	Price USD/UNIT		
	40	7~8	350	0.333		

1522						
------	--	--	--	--	--	--

	1523	SAFE FUNNEL				
		With bulb in loop				
		O.D. of top (mm)	O.D. of stem (mm)	Length (mm)	Price USD/UNIT	
		40	7~8	350	0.401	
1523						

	1524	SAFE FUNNEL				
		With two bulbs in loop				
		O.D. of top (mm)	O.D. of stem (mm)	Length (mm)	Price USD/UNIT	
		40	7~8	350	0.458	
1524						

	1531	DROPPING FUNNEL				
		With ground – in glass stopper and stopcock				
		Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price USD/UNIT	
		60	9×140	270	2.347	
		125	9×140	285	2.661	
		250	10×140	310	3.271	
		500	10×140	330	3.992	

	1541	SEPARATORY FUNNEL				
		Thick, With ground – in glass stopper and stopcock				
		Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price USD/UNIT	
		2000	18	400		
		3000	18	455		
		5000	30	520		

	1542	SEPARATORY FUNNEL globe shape				
		With ground – in glass stopper and stopcock				
		Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price USD/UNIT	
		60	9×160	265	1.766	
		125	9×160	290	2.077	
		250	10×160	315	2.679	
		500	10×160	340	3.026	
1542		1000	12×160	380	4.345	

	1543	SEPARATORY FUNNEL Squib pear shape				
		With ground – in glass stopper and stopcock				
		Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price USD/UNIT	
		10	8×60	126	1.171	
		20	8×60	135	1.243	
		60	10×70	220	1.829	
		125	10×70	260	2.173	
		250	11×70	290	2.776	
		500	12×70	330	3.356	
1543		1000	12×70	400	4.579	

	1544	SEPARATORY FUNNEL pear shape, with graduations, ground–in glass stopper and stopcock				
		Capacity (ml)	graduation (ml)	Dia. of stem × Length (mm)	Length (mm)	Price USD/UNIT

 1544	60	5	10×70	220	2.839	
	125	5	10×70	260	3.128	
	250	10	11×70	290	3.418	
	500	20	12×70	330	5.003	
	1000	50	12×70	400		

 1545	1545	SEPARATORY FUNNEL cylindrical shape				
		With ground – in glass stopper and stopcock				
	Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price USD/UNIT		
	60	9×80	260	1.758		
	125	9×80	320	2.067		
	250	10×110	360	2.666		
	500	10×110	420	3.226		
	1000	12×110	460	4.384		

 1546	1546	SEPARATORY FUNNEL cylindrical shape, with graduations, ground–in glass stopper and stopcock				
		Capacity (ml)	graduation (ml)	Dia. of stem × Length (mm)	Length (mm)	Price USD/UNIT
	60	2	9×80	260	2.511	
	125	5	9×80	320	2.936	
	250	5	10×110	360	3.128	
	500	10	10×110	420	4.229	
	1000	25	12×110	460	5.639	

 1601	1601H	MEASURING CYLINDER Boro 3.3 with spout				
		Heagonal plastic base or round glass base				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Height (mm)	Heagonal plastic base	Round glass base
	5	0.1	0.1	110	0.441	0.366
	10	0.2	0.2	135	0.420	0.410
	25	0.5	0.5	160	0.449	0.454
	50	1	0.5	195	0.521	0.527
	100	1	1	250	0.681	0.630
	250	2or5	2	300	1.130	1.128
	500	5	5	350	1.970	1.670
	1000	10	10	430	2.665	2.447
	2000	20	20	500	3.824	3.780

	1601	MEASURING CYLINDER Boro 3.3 with spout				
		Heagonal glass base				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Height (mm)	Price USD/UNIT	
	5	0.1	0.1	110	0.762	
	10	0.2	0.2	135	0.762	
	25	0.5	0.5	160	0.908	
	50	1	0.5	195	1.040	
	100	1	1	250	1.216	
	250	2or5	2	300	2.183	
	500	5	5	350	2.959	
	1000	10	10	430	5.999	
	2000	20	20	500	8.614	

	1603	MEASURING CYLINDER				
		With graduations and ground–in glass stopper				
					Price USD/UNIT	
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Height (mm)	Heagonal plastic base	Round glass base
	10	0.2	0.1	150	0.733	0.762
	25	0.5	0.25	150	0.908	0.952
	50	1	0.25	215	1.143	1.187

 1603	100	1	0.5	270	1.172	1.582
	250	2or5	1	320	2.154	2.212
	500	5	2.5	380	2.857	2.930
	1000	10	5	460	3.516	3.707
	2000	20	10	530	4.542	4.835

 1611	1611		GRADUATE with spout,short lines			
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Height (mm)	Price USD/UNIT	
	5	0.5	0.3	80	0.523	
	10	1	0.5	95	0.523	
	20	2	0.6	115	0.577	
	50	5	1	135	0.706	
	100	10	1.5	165	0.867	
	250	25	3	205	1.550	
	500	50	6	250	2.251	
	1000	50	10	310	3.528	


 1621A	1621A		VOLUMETRIC FLASK grade A. With ground-in glass stopper or plastic stopper			
	Capacity (ml)	Capacity tolerance (±ml)	Ground mouth	Height (mm)	Price USD/UNIT	
	5	0.02	39640	74	0.713	
	10	0.02	39640	90	0.713	
	25	0.03	39734	110	0.795	
	50	0.05	39734	140	0.795	
	100	0.1	39796	170	0.879	
	200	0.15	14/15	210	1.035	
	250	0.15	14/15	220	1.118	
	500	0.25	16/16	260	1.358	
	1000	0.4	19/17	310	1.837	
	2000	0.6	24/20	370	2.681	


 1621	1621B		VOLUMETRIC FLASK grade B. With ground-in glass stopper or plastic stopper			
	Capacity (ml)	Capacity tolerance (±ml)	Ground mouth	Height (mm)	Price USD/UNIT	
	5	0.04	39640	74	0.524	
	10	0.04	39640	90	0.524	
	25	0.06	39734	110	0.586	
	50	0.1	39734	140	0.586	
	100	0.2	39796	170	0.645	
	200	0.3	14/15	210	0.767	
	250	0.3	14/15	220	0.827	
	500	0.5	16/16	260	1.008	
	1000	0.8	19/17	310	1.249	
	2000	1.2	24/20	370	2.015	

 1622A	1622A		VOLUMETRIC FLASK amber,grade A, With ground-in glass stopper or plastic stopper			
	Capacity (ml)	Capacity tolerance (±ml)	Ground mouth	Height (mm)	Price USD/UNIT	
	5	0.02	39640	74	0.825	
	10	0.02	39640	90	0.825	
	25	0.03	39734	110	0.916	
	50	0.05	39734	140	0.942	
	100	0.1	39796	170	1.008	
	200	0.15	14/15	210	1.190	
	250	0.15	14/15	220	1.303	
	500	0.25	16/16	260	1.580	
	1000	0.4	19/17	310	2.153	
	2000	0.6	24/20	370	3.172	

 1622	1622B	VOLUMETRIC FLASK amber,grade B, With ground-in glass stopper or plastic stopper				
	Capacity (ml)	Capacity tolerance (±ml)	Ground mouth	Height (mm)	Price USD/UNIT	
	5	0.04	39640	74	0.581	
	10	0.04	39640	90	0.581	
	25	0.06	39734	110	0.646	
	50	0.1	39734	140	0.663	
	100	0.2	39796	170	0.712	
	200	0.3	14/15	210	0.846	
	250	0.3	14/15	220	0.924	
	500	0.5	16/16	260	1.120	
	1000	0.8	19/17	310	1.550	
	2000	1.2	24/20	370	2.275	

 1624	1624	VOLUMETRIC FLASK steel				
	Capacity (ml)	Capacity tolerance (±ml)	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT	
	50	0.2	44	120	0.455	
	100	0.4	57	120	0.554	

 1630	1630A	MEASURING PIPETTE Class A graduated with zero at top				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Waiting time	Price USD/UNIT	
	0.1	0.01	0.006	2-8	0.782	
	0.2	0.01	0.006	2-8	0.782	
	0.5	0.02	0.006	2-8	0.782	
	1	0.01	0.006	4-10	0.782	
	2	0.10	0.010	4-12	0.632	
	5	0.05	0.030	6-14	0.663	
	10	0.10	0.050	7-17	0.752	
	15				1.05	
	20				1.055	
	25	0.20	0.100	11-21	1.120	
	50	0.20	0.100	15-25	1.378	

 1630A	1630B	MEASURING PIPETTE Class B graduated with zero at top				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Waiting time	Price USD/UNIT	
	0.1	0.01	0.01	2-5	0.436	
	0.2	0.01	0.01	2-5	0.436	
	0.5	0.02	0.01	2-5	0.436	
	1	0.01	0.01	3-6	0.436	
	2	0.10	0.02	3-6	0.353	
	5	0.05	0.05	5-10	0.370	
	10	0.10	0.10	5-10	0.422	
	15				0.589	
	20				0.589	
	25	0.20	0.20	9-15	0.629	
	50	0.20	0.20	15-25	0.772	

	1633A	VOLUMETRIC PIPETTE with one mark				
	Capacity (ml)	Capacity tolerance (±ml)	Waiting time	Price USD/UNIT		
	1	0.006	7-12	0.735		
	2	0.010	7-12	0.735		
	3	0.015	15-25	0.735		
	5	0.015	15-25	0.735		

 1633A	10	0.020	20-30	0.838		
	15	0.025	20-30	0.966		
	20	0.030	25-35	1.024		
	25	0.030	25-35	1.102		
	50	0.050	30-40	1.486		
	100	0.080	35-45	1.873		

 1633	1633B	VOLUMETRIC PIPETTE with one mark				
		Capacity (ml)	Capacity tolerance (±ml)	Waiting time	Price USD/UNIT	
		1	0.015	5-12	0.380	
		2	0.020	5-12	0.380	
		3	0.015	10-25	0.380	
		5	0.030	10-25	0.380	
		10	0.040	15-30	0.432	
		15	0.025	15-30	0.502	
		20	0.060	20-35	0.531	
		25	0.060	20-35	0.574	
		50	0.100	25-40	0.777	
		100	0.160	30-45	0.975	

 1641A	1641B	BURETTE with rubber tubing connection, Glass bead and glass tip				
		Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)
		10	0.05	0.05	20-40	600
		25	0.1	0.1	35-70	630
		50	0.1	0.1	50-90	860
		100	0.2	0.2	60-100	860

 1641A	1641A	BURETTE with rubber tubing connection, Glass bead and glass tip				
		Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)
		10	0.05	0.025	30-45	600
		25	0.1	0.05	45-70	630
		50	0.1	0.05	60-90	860
		100	0.2	0.1	70-100	860

 1642A	1642A	BURETTE with straight stopcock				
		Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT
		10	0.05	0.025	600	2.722
		25	0.1	0.05	630	3.649
		50	0.1	0.05	860	4.334
		100	0.2	0.1	860	5.884

	1642B	BURETTE with straight stopcock				
		Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT
		10	0.05	0.05	600	1.392
		25	0.1	0.1	630	1.853

	50	0.1	0.1	860	2.219	
	100	0.2	0.2	860	3.004	

 1644	1644A	BURETTE with blue line on milk white back, Rbbber tubing connection,glass bead and glass tip				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	0.025	600	2.280	
	25	0.1	0.05	630	3.124	
	50	0.1	0.05	860	4.137	
	100	0.2	0.1	860	6.006	

	1644B	BURETTE with blue line on milk white back, Rbbber tubing connection,glass bead and glass tip				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	0.05	600	1.237	
	25	0.1	0.1	630	1.589	
	50	0.1	0.1	860	2.106	
	100	0.2	0.2	860	3.048	

 1645	1645A	BURETTE with blue line on milk white back, Straight stopcock,Schellbach				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	0.025	600	3.807	
	25	0.1	0.05	630	4.941	
	50	0.1	0.05	860	6.150	
	100	0.2	0.1	860	8.202	


	1645B	BURETTE with blue line on milk white back, Straight stopcock,Schellbach				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	0.05	600	1.936	
	25	0.1	0.1	630	2.498	
	50	0.1	0.1	860	3.125	
	100	0.2	0.2	860	4.151	

 1647	1647B	BURETTE amber glass,with rubber tubing Comnection,glass bead and glass tip				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	0.05	600	0.906	
	25	0.1	0.1	630	1.090	
	50	0.1	0.1	860	1.348	
	100	0.2	0.2	860	2.106	

	1648B	BURETTE amber glass,with straight stopcock				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	0.05	600	1.550	

	25	0.1	0.1	630	2.119	
	50	0.1	0.1	860	2.539	
	100	0.2	0.2	860	3.428	
1648						

	1651	AUTOMATIC BURETTE Pellet				
		With reservoir, rubber stopper and pressure bulb				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT
	25	0.1	0.1	2000	830	13.636
	50	0.1	0.1	2000	1080	15.740
1651						

	1652	AUTOMATIC BURETTE Squibb				
		With ground-in glass stopper and pressure bulb				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT
	10	0.05	0.05	1000	770	14.411
	25	0.1	0.1	2000	830	15.555
	50	0.1	0.1	2000	1080	17.570
1652						

	1653	AUTOMATIC BURETTE Squibb with reservoir				
		ground-in glass stopper and pressure bulb				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT
	25	0.1	0.1	2000	830	14.353
	50	0.1	0.1	2000	1080	16.535
1653						


	1654	AUTOMATIC BURETTE amber glass				
		With ground-in glass stopper and pressure bulb				
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	1000	770	17.312	
	25	0.1	2000	830	18.663	
	50	0.1	2000	1080	21.162	
1654						


	1655	AUTOMATIC BURETTE with				
		ground-in glass reservoir and pressure bulb				
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	1000	770	19.583	
	25	0.1	2000	830	21.430	
	50	0.1	2000	1080	24.756	
1655						

	1656	AUTOMATIC BURETTE with U-shape drying				
		Tube, ground-in glass stopper and pressure bulb				
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	1000	770		
	25	0.1	2000	830		
	50	0.1	2000	1080		
1656						

	1657	AUTOMATIC BURETTE blue line on milk white				
		Back with ground-in glass stopper and pressure bulb				
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT	
	25	0.1	2000	830	14.984	
	50	0.1	2000	1080	17.033	
1657						


	1658	AUTOMATIC BURETTE amber glass				
		With ground-in glass stopper and pressure bulb				
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	1000	770	24.520	
	25	0.1	2000	830	26.588	
	50	0.1	2000	1080	30.662	
1658						

	1659	AUTOMATIC BURETTE				
		rubber tubing connection, glass bead and glass tip, with drying tube and ground-in glass stopper				
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price USD/UNIT	
	10	0.05	1000	770		
	25	0.1	2000	830		
1659						

	1661A	MICRO BURETTE with wooden base				
		Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT
		1	0.01	0.01	650	8.986
		2	0.01	0.01	730	8.986
		3	0.02	0.01	780	10.257
		5	0.02	0.01	780	11.118
		10	0.05	0.025	780	12.410
1661						

	1661B	MICRO BURETTE with wooden base				
		Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT
		1	0.01	0.2	620	5.828
		2	0.01	0.02	700	5.828
		3	0.02	0.02	780	6.465
		5	0.02	0.02	780	6.887
		10	0.05	0.05	780	6.887

	1663A	MICRO BURETTE with side filling tube, Fisher				
		Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT
		1	0.01	0.01	620	7.037
		2	0.01	0.01	700	7.037
		3	0.02	0.01	730	8.079
		5	0.02	0.01	730	9.087
		10	0.05	0.025	730	9.804
1663						

 1663B	1663B	MICRO BURETTE with side filling tube				
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price USD/UNIT	
	1	0.01	0.2	620	3.629	
	2	0.01	0.02	700	3.629	
	3	0.02	0.02	780	4.149	
	5	0.02	0.02	780	4.651	
	10	0.05	0.05	780	5.225	

 1677	1677	AUTOMATIC FILLING APPARATUS				
		With ground-in glass stopper				
	Capacity (ml)	Capacity tolerance (±ml)	Capacity of bottle (ml)	Price USD/UNIT		
	5	0.2	500			
	10	0.2	500			
	15	0.4	500			
	20	0.4	500			
	25	0.5	500			

 1697	1697	GAS SAMPLING BOTTLE				
		spray-bubble type				
	O.D. of bottle (mm)	O.D. of bulb (mm)	Height (mm)	Price USD/UNIT		
	20	38	190			

 1701	1701	FAT TEST BOTTLE for milk test				
	Graduation (%)	Graduated interval (%)	Capacity of bottle (ml)	Height (mm)	Price USD/UNIT	
	8	0.1	45	165		

 1702	1702	FAT TEST BOTTLE for cream test				
	Graduation (%)	Graduated interval (%)	Capacity of bottle (ml)	Height (mm)	Price USD/UNIT	
	50	0.5	45	165		

 1705	1705	MILK TEST PIPETTE				
	Capacity (ml)	O.D. of lower tube (mm)	Length (mm)	Price USD/UNIT		
	11	5	320	0.777		
	17.6	5	320			


 1711	1711	BLOOD SUGAR TUBE Folin-wu				

	Capacity (ml)	Graduated interval (ml)	O.D. (mm)	Length (mm)	Price USD/UNIT	
	25	25	19	215	0.614	


	1712	BLOOD SUGAR TUBE Kärner-gittleman				
	Capacity (ml)	Graduated interval (ml)	O.D. (mm)	Length (mm)	Price USD/UNIT	
	25	4,6,12.5,25	19	215	0.990	

	1713	BLOOD DIGESTION TUBE N.P.N.Folin-wu				
	Capacity (ml)	Graduated interval (ml)	O.D. (mm)	Length (mm)	Price USD/UNIT	
	50	35,50	25	200	0.495	

	1714	BLOOD RECEIVING TUBE N.P.N.Folin-wu				
	Capacity (ml)	Graduated interval (ml)	O.D. (mm)	Length (mm)	Price USD/UNIT	
	25	12.5,25	25	200	0.495	

	1761	MICRO KJELDAHL DISTILLING APPARATUS				
	Spare parts	Height (mm)	Price USD/UNIT			
	Distilling flask	410				
	Vapor tube	260				
	Condenser	480				
	Funnel	90				
	150ml conical flask	115				
	1000ml round boiling flask	208				

	1765	SEMIMICRO KJELDAHL DISTILLING APPARATUS				
	Art No.	Spare parts	Price USD/UNIT			
	1765-1	Distilling tube				
	1765-2	condenser				

	1767	MICRO KJELDAHL DISTILLING APPARATUS improved				
	Width (mm)	Height (mm)	Price USD/UNIT			
	150	300				

	1781	WATER DETERMINATION APPARATUS With ground-in glass joints			
	Art No.	Spare parts	Price USD/UNIT		
	1781-1	500ml round boiling flask			
	1781-2	10ml receiving tube			
	1781-3	400mm straight condenser			

 1785	1785	VOLATILE OIL DETERMINATION				
		APPARATUS specific gravity<1.0				
	Capacity (ml)	Graduated interval (ml)	Length (mm)	Price USD/UNIT		
	5	0.1	360			

 1786	1786	VOLATILE OIL DETERMINATION				
		Specific gravity>1.0				
	Capacity (ml)	Graduated interval (ml)	Length (mm)	Price USD/UNIT		
	5	0.1	330			

 1787	1787	VOLATILE OIL DETERMINATION APPARATUS				
		for rosin,with ground-in glass stopper				
	Art No.	Spare parts			Price USD/UNIT	
	1781-1	500ml round boiling flask				
	1781-2	5ml receiving tube				
	1781-3	400mm straight condenser				

 1788	1788	VOLATILE OIL DETERMINATION APPARATUS		
		,with ground-in glass stopper		
	Art No.	Spare parts	Price USD/UNIT	
	1781-1	5ml volatile oil determination tube		
	1781-2	400mm global condenser		
	5001/500/34	500ml round boiling flask		
	5001/1L/34	1000 ml round boiling flask		
	5001/2L/34	2000ml round boiling flask		


 1791	1791	EXTRACTION APPARATUS				
		With bulbed condenser and ground glass joints				
	Flat boiling flask		Extraction tube			Price USD/UNIT
	Capacity (ml)	Ground mouth	Valid Volume (mm)	Ground mouth	Ground stopper	
	60	19/26	Φ30×60	34/35	19/26	7.787
	150	19/26	Φ30×70	34/35	19/26	8.938
	250	24/29	Φ37×80	40/38	24/29	10.371


 1792	1792	EXTRACTION APPARATUS Soxhlet				
		With coiled condenser and ground glass joints				
	Flat boiling flask		Extraction tube			Price USD/UNIT
	Capacity (ml)	Ground mouth	Valid Volume (mm)	Ground mouth	Ground stopper	
	60	19/26	Φ30×60	34/35	19/26	8.393
	150	19/26	Φ30×70	34/35	19/26	9.427
	250	24/29	Φ37×80	40/38	24/29	11.162


 1793	1793	EXTRACTION APPARATUS Soxhlet				
		With coil-bulb condenser and ground glass joints				
	Flat boiling flask		Extraction tube			Price USD/UNIT
	Capacity (ml)	Ground mouth	Valid Volume (mm)	Ground mouth	Ground stopper	
	60	19/26	Φ30×60	34/35	19/26	8.938
	150	19/26	Φ30×70	34/35	19/26	9.956

	250	24/29	$\Phi 37 \times 80$	40/38	24/29	11.689
	500	24/29	$\Phi 47 \times 100$	50/42	24/29	13.368

 1794	1794	EXTRACTION APPARATUS				
		Improved, with ground-in glass joints				
		Flat boiling flask		Extraction tube		Price USD/UNIT
		Capacity (ml)	Ground mouth	Valid Volume (mm)	Ground mouth	
		60	19/26	$\Phi 22 \times 30$	34/35	10.916
		150	19/26	$\Phi 25 \times 35$	34/35	12.822


 1801	1801	DISTILLING APPARATUS				
		with ground-in glass joints				
		Capacity of flask (ml)	Length of condenser (mm)	Ground mouth	Height (mm)	Price USD/UNIT
		500	200	24/29	200	7.209
		1000	250	24/29	280	9.212
		2000	300	29/32	350	11.379

 1802	1802	DISTILLING APPARATUS for determination Of ammonia in water, with ground-in glass joints				
		Capacity of flask (ml)	Length of jacket (mm)	Price USD/UNIT		
		500	200			

 1803	1803	DISTILLING APPARATUS with ground glass joints				
		Capacity of flask (ml)	Length of jacket (mm)	Price USD/UNIT		
		5000	600			


 1831	1831	VISCOSITY PIPETTE Ostwald				
		I.D. of capillary (mm)	Flow rate (s)	Length (mm)	V. of test bulb (ml)	Price USD/UNIT
		≈ 0.7	20~75	250	2.5	
		≈ 0.55	75~100	250	2.5	
		≈ 0.5	100~150	250	2.5	
		≈ 0.4	200~300	250	2.5	


 1861	1861	SPECIFIC GRAVITY BOTTLE Gay-lussac				
		Capacity (ml)	Diameter of mouth (mm)	Height (mm)	Price USD/UNIT	
		5	7	60	0.887	
		10	7	70	0.922	
		25	10	85	1.140	
		50	10	100	1.420	
		100	10	110	1.789	

	1862	SPECIFIC GRAVITY BOTTLE Lechatelier				
	Capacity (ml)	O.D.of bulb (mm)	Graduation (ml)	Height (mm)	Price USD/UNIT	
	250	90	24	250		

	1871	COLORIMETER TUBE Nessler				
	Capacity (ml)	Graduation (ml)	Tolerance (±ml)	Height (mm)	Price USD/UNIT	
	10	5,10	0.1	130		
	25	20,25	0.25	150		
	50	25,50	0.4	180		

	1872	COLORIMETER TUBE With glass hollow stopper				
	Capacity (ml)	Graduation (ml)	Tolerance (±ml)	Height (mm)	Price USD/UNIT	
	10	5,10	0.1	140		
	25	20,25	0.25	170		
	50	25,50	0.4	200		

	1901	GAS ANALYSIS APPARATUS With three absorption pipettes,Ostwald			
	Art No.	Spare parts			Price USD/UNIT
	367	3 pcs gas absorption pipette			
	398	100ml measuring burette with jacket			
	426	Manifold tube with four glass stopcocks			
	457	250ml leveling tube			
	487	U-shape drying tube			
	518	Straight drying tube			

	1902	GAS ANALYSIS APPARATUS With four absorption pipettes,Ostwald			
	Art No.	Spare parts			Price USD/UNIT
	732	4 pcs gas absorption pipette			
	763	100ml measuring burette with jacket			
	791	Manifold tube with four glass stopcocks			
	822	250ml leveling tube			
	852	U-shape drying tube			
	883	Straight drying tube			

	1913	GAS PIPETTE explosion,Hemple				
	Height (mm)	O.D.of bulb (mm)	Price USD/UNIT			
	210	60				

	1915	GAS PIPETTE solid absorption,Hemple				




	O.D. (mm)	O.D.of neck (mm)	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT	
	60	26	66	300		
	73	26	66	300		
1915						





	1941	GAS SAMPLE MEASURING BURETTE						
		Capacity (ml)	Graduation(ml)			Length (mm)	Price USD/UNIT	
			0~15	25~55	65~100			
			100	0.2	1			0.2
1941								





	1942	OXYGEN MEASURING TUBE							
		Capacity (ml)	Graduation(ml)			Length (mm)	Price USD/UNIT		
			0~10	10~94	94~100				
			100	0.5	5			0.1	480
1942									



 <
--



 <
--



 3101	3101	MICRO BEAKER with spout				
	Capacity (ml)	O.D. (mm)	Height (mm)	Price USD/UNIT		
	5	22	33			
	10	26	35			
25	34	50				



 3115	3115	MICRO BOILING FLASK round bottom				
	Capacity (ml)	O.D.of neck (mm)	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT	
	5	13	27	62		

	10	13	33	68		
	25	15	41	82		

 3118	3118	MICRO IODINE FLASK				
	Capacity (ml)	O.D.of neck (mm)	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT	
	30	17	37	180		
	50	22	51	200		
	100	22	60	200		

 3121	3121	MICRO CONICAL FLASK				
	Capacity (ml)	O.D.of neck (mm)	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT	
	5	14	25	50		
	10	15	30	55		
	25	22	42	70		

 3241	3241	MICRO CENTRIFUGE TUBE				
	Capacity (ml)	O.D. (mm)	Height (mm)	Price USD/UNIT		
	5	14	90			


--	--	--	--	--	--	--

 5001	5001	BOILING FLASK round bottom,short neck				
		Standard ground mouth				
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT	
	5	10/19	27	56	0.853	
	5	14/23	27	60	0.916	
	10	10/19	33	66	0.884	
	10	14/23	33	68	0.916	
	25	10/19	41	70	0.900	
	25	14/23	41	75	0.947	
	25	19/26	41	79	1.026	
	50	14/23	53	88	1.042	
	50	19/26	53	94	1.121	
	50	24/29	53	97	1.247	
	50	29/32	53	105	1.484	
	100	14/23	65	100	1.090	
	100	19/26	65	106	1.184	
	100	24/29	65	109	1.295	
	100	29/32	65	117	1.532	
	150	19/26	76	117	1.232	
	150	24/29	76	120	1.295	
	250	19/26	88	134	1.358	
	250	24/29	88	139	1.469	
	250	29/32	88	145	1.705	
	500	19/26	110	158	1.674	
	500	24/29	110	161	1.800	
	500	29/32	110	167	2.053	
	1000	19/26	140	188	2.290	
	1000	24/29	140	196	2.400	
	1000	29/32	140	199	2.653	
	1000	34/35	140	202		
	2000	24/29	175	231	3.821	
	2000	29/32	175	234	4.090	
	2000	34/35	175	237		
	3000	29/32	199	281	5.779	
	3000	34/35	199	284	6.000	
	3000	40/38	199	287	6.158	
	5000	40/38	235	333	8.448	
	5000	50/42	235	337	9.064	

10000	50/42	297	410	25.422	
10000	60/46	297	414		

 5003	5003	FLASK oblique shape, with two necks				
		Standard ground mouth				
	Capacity (ml)	Middle ground mouth	Side ground mouth	Height (mm)	Price USD/UNIT	
	100	19/26	14/23	106	2.163	
	100	24/29	14/23	109	2.337	
	250	19/26	14/23	134	2.637	
	250	24/29	14/23	139	2.669	
	250	24/29	19/26	139	2.811	
	250	29/32	14/23	145	2.969	
	250	29/32	19/26	145	3.032	
	500	19/26	14/23	158	3.088	
	500	24/29	14/23	161	3.284	
	500	24/29	19/26	161	3.332	
	500	29/32	14/23	167	3.474	
	500	29/32	19/26	167	3.569	
	1000	24/29	14/23	196	4.090	
	1000	24/29	19/26	196	4.011	
	1000	24/29	24/29	196	4.051	
	1000	29/32	14/23	200	4.311	
	1000	29/32	19/26	200	4.390	
	1000	29/32	24/29	200		
	2000	24/29	19/26	231	5.251	
	2000	24/29	24/29	231	5.369	
	2000	29/32	19/26	234	5.495	
	2000	29/32	24/29	234		


 5004	5004	FLASK oblique shape, with three necks				
		Standard ground mouth				
	Capacity (ml)	Middle ground mouth	Side ground mouth	Height (mm)	Price USD/UNIT	
	100	19/26	14/23	106	3.016	
	250	19/26	14/23	134	3.584	
	250	19/26	19/26	134	3.758	
	250	24/29	14/23	139	3.727	
	250	24/29	19/26	139	3.869	
	250	24/29	24/29	139	4.074	
	250	29/32	14/23	145	3.948	
	250	29/32	19/26	145	4.074	
	500	19/26	14/23	158	4.074	
	500	19/26	19/26	158	4.216	
	500	24/29	14/23	161	4.184	
	500	24/29	19/26	161	4.311	
	500	24/29	24/29	161	4.548	
	500	29/32	14/23	167	4.390	
	500	29/32	19/26	167	4.327	
	1000	19/26	14/23	188	4.990	
	1000	19/26	19/26	180	5.163	
	1000	24/29	14/23	196	5.163	
	1000	24/29	19/26	196	5.274	
	1000	24/29	24/29	196	5.479	
	1000	29/32	14/23	200	5.306	
	1000	29/32	19/26	200	5.574	
	1000	29/32	24/29	200	5.716	
	1000	29/32	29/32	200		
	2000	24/29	24/29	231	7.469	
	2000	29/32	19/26	234	7.390	
	2000	29/32	24/29	234	7.706	
	2000	29/32	29/32	234		
	3000	29/32	24/29	281	10.753	
	3000	34/35	24/29	284	10.974	
	5000	40/38	24/29	333	15.127	
	5000	50/42	24/29	337	15.680	

 5005	5005 FLASK straight shape				
	Standard ground mouth				
	Capacity (ml)	Middle ground mouth	Side ground mouth	Height (mm)	Price USD/UNIT
	250	19/26	14/23	134	3.600
	250	19/26	19/26	134	3.758
	250	24/29	14/23	139	3.727
	250	24/29	19/26	139	3.869
	250	24/29	24/29	139	4.074
	250	29/32	14/23	145	3.916
	500	19/26	14/23	158	4.074
	500	19/26	19/26	158	4.232
	500	24/29	14/23	161	4.169
	500	24/29	19/26	161	4.311
	500	24/29	24/29	161	4.548
	500	29/32	14/23	167	4.358
	1000	24/29	14/23	196	5.100
	1000	24/29	19/26	196	5.274
	1000	24/29	24/29	196	5.495
	1000	29/32	24/29	200	5.716
	1000	29/32	29/32	200	6.142
	2000	24/29	24/29	231	7.437
	2000	29/32	24/29	234	7.706
	2000	29/32	29/32	234	8.141
	2000	34/35	24/29	237	7.895
	3000	29/32	24/29	281	10.295
	3000	34/35	24/29	284	10.469
	5000	40/38	24/29	333	15.136

 5006	5006 FLASK with four necks				
	Standard ground mouth				
	Capacity (ml)	Middle ground month	Side ground mouth	Straight ground mouth	Price USD/UNIT
	500	24/29	19/26	14/23	5.353
	500	24/29	19/26	19/26	5.432
	500	24/29	24/29or19/26	14/26	5.400
	500	29/32	24/29or19/26	14/26	12.433
	1000	24/29	19/26	14/23	6.900
	1000	24/29	19/26	19/26	6.995
	2000	24/29	19/26	19/26	231
	2000	29/32	24/29or19/26	14/23	234
	3000	29/32	24/29	14/23	281
	3000	34/35	24/29	14/23	284
	3000	34/35	24/29or19/26	19/26	284
	5000	40/38	29/32or24/29	14/23	333
					19.359


 5007	5007 BOILING FLASK flat bottom.short neck				
	Standard ground mouth				
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT
	25	14/23	41	70	0.940
	50	14/23	53	88	1.035
	50	19/26	53	94	1.121
	100	14/23	65	100	1.082
	100	19/26	65	106	1.168
	100	24/29	65	109	1.288
	150	19/26	76	117	1.216
	150	24/29	76	120	1.335
	250	19/26	88	134	1.351
	250	24/29	88	139	1.469
	500	19/26	110	158	1.674
	500	24/29	110	161	1.793
	1000	24/29	140	196	2.409

5000	CONICAL FLASK
------	---------------


 5009	5009	Standard ground mouth				
	Capacity (ml)	Ground mouth	O.D.of bottle (mm)	Height (mm)	Price USD/UNIT	
	10	10/19	32	60	0.837	
	10	14/23	32	60	0.893	
	10	19/26	32	60	0.988	
	25	10/19	42	65	0.853	
	25	14/23	42	70	0.916	
	25	19/26	42	75	1.003	
	50	14/23	51	85	0.972	
	50	19/26	51	85	1.058	
	50	24/29	51	90	1.193	
	100	14/23	64	105	1.058	
	100	19/26	64	105	1.146	
	100	24/29	64	105	1.263	
	150	19/26	71	115	1.240	
	150	24/29	71	115	1.303	
	250	19/26	85	135	1.303	
	250	24/29	85	135	1.500	
	250	29/32	85	128	1.658	
	500	19/26	105	170	1.603	
	500	24/29	105	170	1.721	
	500	29/32	105	165	1.958	
	1000	24/29	131	210	2.314	
	1000	29/32	131	210	2.495	
	2000	29/32	166	275	4.159	
 5010	5010	FILTERING FLASK				
		Standard ground mouth				
	Capacity (ml)	Ground mouth	O.D.of bottle (mm)	Height (mm)	Price USD/UNIT	
	10	10/19	32	60	0.972	
	10	14/23	32	60	1.026	
	25	10/19	42	70	0.972	
	25	14/23	42	70	1.026	
	50	14/23	51	85	1.026	
	50	19/26	51	85	1.114	
	100	19/26	64	105	1.130	
	250	24/29	85	135	2.132	
	500	24/29	105	170	2.842	
	500	29/32	105	170	3.056	
	1000	24/29	131	210	3.679	
	1000	29/32	131	210	3.900	
 5011	5011	FLASK eggplant shape				
		Standard ground mouth				
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT	
	5	10/19	26	50	0.853	
	10	10/19	30	70	0.868	
	10	14/23	30	70	0.932	
	25	10/19	39	80	0.900	
	25	14/23	39	80	0.956	
	25	19/26	39	80	1.042	
	50	14/23	51	100	1.035	
	50	19/26	51	100	1.130	
	50	24/29	51	100	1.247	
	100	14/23	60	110	1.105	
	100	19/26	60	110	1.193	
	100	24/29	60	110	1.326	
	250	19/26	81	140	2.005	
	250	24/29	81	140	2.116	
	250	29/32	81	140	2.369	
	500	24/29	101	170	2.858	
	500	29/32	101	170	3.079	
	1000	24/19	125	210	3.663	
	1000	29/32	125	210	3.916	

 5013	5013	FLASK pear shape				
		Standard ground mouth				
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT	
	10	10/19	30	76	1.184	
	10	14/23	30	79	1.184	
	25	10/19	40	90	1.184	
	25	14/23	40	93	1.184	
	25	19/26	40	95	1.326	
	50	14/23	50	108	1.184	
	50	19/26	50	110	1.326	
	100	14/23	60	118	1.247	
	100	19/26	60	121	1.326	

 5014	5014	FLASK pear shape, with two necks				
		Standard ground mouth				
	Capacity (ml)	Middle ground mouth	Side ground mouth	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT
	25	10/19	10/19	40	102	2.400
	25	14/23	14/23	40	108	2.511
	25	19/26	14/23	40	110	2.590
	50	14/23	14/23	50	118	2.511
	50	19/26	14/23	50	120	2.590
	100	14/23	14/23	60	128	2.511
	100	19/26	14/23	60	132	
	100	19/26	19/26	60	132	2.526


 5015	5015	FLASK pear shape, with three necks				
		Standard ground mouth				
	Capacity (ml)	Middle ground mouth	Side ground mouth	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT
	25	10/19	10/19	40	103	3.711
	25	14/23	14/23	40	107	3.853
	50	10/19	10/19	50	113	3.711
	50	14/23	14/23	50	117	3.853
	50	19/26	14/23	50	120	3.853
	100	14/23	14/23	60	127	3.853
	100	19/26	19/26	60	130	4.090
	100	19/26	14/23	60	130	3.853

 5016	5016	DISTILLING FLASK pear shape				
		Standard ground mouth				
	Capacity (ml)	Middle ground mouth	Oblique stopper	O.D.of bulb (mm)	Height (mm)	Price USD/UNIT
	25	10/19	10/19	40	130	1.800
	25	14/23	14/23	40	134	1.911
	50	10/19	10/19	50	140	1.800
	50	14/23	14/23	50	143	1.911
	50	19/23	19/26	50	146	2.069
	100	14/23	14/23	60	163	1.911
	100	19/26	19/26	60	166	2.069

 5021	RG5021	CONDENSER straight shape				
		Standard ground mouth				
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price USD/UNIT	
	80	10/19	0.16	165	1.863	
	80	14/23	0.16	175	1.863	
	150	14/23	0.6	254	2.195	
	200	14/23	1	305	2.226	
	200	19/26	1	332	2.369	
	200	24/29	1	350	2.574	
	200	29/32	1	360	2.969	
	300	19/26	1.6	432	2.842	


300	24/29	1.6	450	3.016	
300	29/32	1.6	460	3.442	
400	19/26	2.1	535	3.016	
400	24/29	2.1	555	3.190	
400	29/32	2.1	560	3.616	
500	19/26	2.7	632	3.284	
500	24/29	2.7	650	3.474	
500	29/32	2.7	660	3.916	
600	19/26	3.2	735	3.742	
600	24/29	3.2	735	3.948	
600	29/32	3.2	760	4.342	

	5021A	CONDENSER air cooling				
		Standard ground mouth				
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price USD/UNIT	
	150	14/23	0.6	250	1.335	
	200	19/26	0.95	330	1.484	
	200	24/29	0.95	340	1.682	
	300	19/26	1.45	430	1.484	
	300	24/29	1.45	440	1.682	
	400	19/26	2	530	1.588	
	400	24/29	2	540	1.784	
	500	24/29	2.4	640	1.784	



5022

5022	CONDENSER with bulbed inner tube				
	Standard ground mouth				
Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price USD/UNIT	
150	14/23	0.6	235	2.463	
200	14/23	1.1	295	2.637	
200	19/26	1.1	330	2.684	
200	24/29	1.1	350	2.867	
200	29/32	1.1	360	3.253	
300	14/23	1.6	405	2.969	
300	19/26	1.6	430	3.111	
300	24/29	1.6	450	3.309	
300	29/32	1.6	460	3.695	
400	19/26	2.2	530	3.458	
400	24/29	2.2	550	3.663	
400	29/32	2.2	560	4.051	
500	19/26	3	630	3.963	
500	24/29	3	650	4.184	
500	29/32	3	660	4.563	
600	19/26	3.7	730	4.453	
600	24/29	3.7	750	4.658	
600	29/32	3.7	760	5.100	





5023


5023	CONDENSER with coiled inner tube				
	Standard ground mouth				
Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price USD/UNIT	
150	14/23	1.2	235	2.684	
200	14/23	2.3	295	2.826	
200	19/26	2.3	330	2.961	
200	24/29	2.3	350	3.167	
300	19/26	3.5	430	3.316	
300	24/29	3.5	450	3.514	
300	29/32	3.5	460	3.900	
400	19/26	4.7	530	3.751	
400	24/29	4.7	550	3.940	
400	29/32	4.7	560	4.390	
500	19/26	5.7	630	4.563	
500	24/29	5.7	650	4.753	
500	29/32	5.7	660	5.179	
600	19/26	7.7	730	5.400	
600	24/29	7.7	750	5.590	


	600	29/32	7.7	760	6.032	
--	-----	-------	-----	-----	-------	--

 5024	5024	CONDENSER reflux, with coiled inner tube				
	Standard ground mouth					
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price USD/UNIT	
	150	14/23	2	235	3.363	
	200	14/23	3.7	295	3.758	
	200	19/26	3.7	330	3.916	
	200	29/32	3.7	360	4.500	
	300	19/26	5.4	430	4.390	
	300	24/29	5.4	450	4.611	
	300	29/32	5.4	460	5.006	
	400	19/26	7.3	530	4.911	
	400	24/29	7.3	550	5.242	
	400	29/32	7.3	560	5.369	
	500	24/29	9.2	650	5.921	
	500	29/32	9.2	660	6.316	


 5025	5025	CONDENSER reflux, straight shape				
	Standard ground mouth					
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price USD/UNIT	
	200	19/26	1.5	300	3.569	
	200	24/29	1.5	305	3.774	
	200	29/32	1.5	315	4.184	
	300	19/26	2.4	400	3.742	
	300	24/29	2.4	405	3.948	
	300	29/32	2.4	415	4.342	


 5027	5027	CONDENSER double layer, straight shape				
	Standard ground mouth					
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price USD/UNIT	
	200	19/26	3.3	335	4.390	
	200	24/29	3.3	345	4.548	
	200	29/32	3.3	360	4.974	
	300	19/26	4.9	435	5.116	
	300	24/29	4.9	445	5.290	
	300	29/32	4.9	460	5.716	
	400	19/26	6.5	535	5.606	
	400	24/29	6.5	545	5.795	
	400	29/32	6.5	560	6.190	

 5031	5031	CONNECTION TUBE with three mouths				
	Standard ground mouth					
	Middle ground mouth	Side ground mouth	Bottom ground stopper	Price USD/UNIT		
	19/26	19/26	19/26	3.442		
	19/26	19/26	24/29	3.537		
	19/26	19/26	29/32	3.727		
	24/29	24/29	24/29	3.853		
	24/29	24/29	29/32	4.042		
	29/32	29/32	29/32	4.642		
	29/32	29/32	34/35	4.832		
	29/32	29/32	40/38	4.958		

 5033	5033	CONNECTION TUBE with two mouths				
	Standard ground mouth					
	Middle ground mouth	Side ground mouth	Bottom ground stopper	Price USD/UNIT		
	10/19	10/19	10/19	1.958		
	14/23	14/23	14/23	2.109		
	19/26	19/26	19/26	2.337		
	24/29	24/29	24/29	2.637		
	24/29	24/29	29/32	2.826		

	29/32	29/32	29/32	3.221		
	29/32	29/32	40/38	3.553		


 5034	5034	DISTILLING HEAD				
		Standard ground mouth				
	Upper ground mouth	Side ground mouth	Lower ground stopper	Oblique ground stopper	Price USD/UNIT	
	10/19	10/19	10/19	10/19	2.684	
	14/23	14/23	14/23	14/23	2.882	
	14/23	14/23	19/26	19/26	3.032	
	14/23	14/23	24/29	24/29	3.221	
	19/26	19/26	19/26	19/26	3.190	
	24/29	24/29	24/29	24/29	3.584	
	29/32	29/32	29/32	29/32	4.390	

 5035	5035	DISTILLING HEAD				
		Standard ground mouth				
	Middle ground mouth	Side ground mouth	Bottom ground stopper	Price USD/UNIT		
	10/19	10/19	10/19	1.840		
	14/23	14/23	14/23	1.998		
	14/23	19/26	19/26	2.163		
	14/23	24/29	19/26	2.258		
	14/23	24/29	24/29	2.353		
	14/23	29/32	24/29	2.535		
	14/23	29/32	29/32	2.763		
	14/23	34/35	24/29	2.716		
	19/26	19/26	19/26	2.226		
	19/26	24/29	24/29	2.526		
	19/26	29/32	29/32	2.826		
	24/29	24/35	24/29	2.519		
	29/32	29/32	29/32	3.135		

 5036	5036	SPLASHPROOF BULB				
		Standard ground mouth				
	Upper ground mouth	Lower ground mouth	Price USD/UNIT			
	19/26	19/26	1.926			
	19/26	24/29	2.021			
	24/29	24/29	2.132			
	24/29	29/32	2.330			
	29/32	29/32	2.361			

 5038	5038	DISTILLING HEAD 75° bent				
		Standard ground mouth				
	Straight ground mouth	Oblique ground stopper	Price USD/UNIT			
	14/23	14/23	1.311			
	19/26	19/26	1.461			
	24/29	24/29	1.840			
	29/32	29/32	2.021			
	29/32	24/29	1.942			

 5039	5039	DISTILLING TUBE 105°-75° bent				
		Standard ground mouth				
	Length of tube (mm)	Left ground stopper	Right ground stopper	Price USD/UNIT		
	300	19/26	19/26	1.563		
	300	24/29	24/29	1.769		
	300	29/32	29/32	2.195		


 5042	5042	DISTILLING HEAD 75°-105°				
		Standard ground mouth				
	Upper ground mouth	Lower ground stopper	Side ground stopper	Price USD/UNIT		
	14/23	19/26	19/26	2.258		


5042	14/23	24/29	24/29	2.440		
	14/23	29/32	29/32	2.867		

 5043	5043	DISTILLING HEAD 105 ⁰ -75 ⁰				
	Standard ground mouth					
	Upper ground mouth	Lower ground stopper	Side ground stopper	Price USD/UNIT		
	14/23	19/26	19/26	2.258		
	14/23	24/29	24/29	2.440		
	14/23	29/32	29/32	2.867		

 5046	5046	DISTILLING HEAD with thorn tube				
		Standard ground mouth				
	Middle ground mouth	Side ground mouth	Main ground stopper	Oblique ground stopper	Length (mm)	Price USD/UNIT
	14/23	14/23	14/23	14/23	215	3.126
	14/23	14/23	19/26	19/26	225	3.277
	14/23	14/23	24/29	24/29	245	3.474


 5049	5049	DISILLING CYLINDER filled type,with helix				
	Standard ground mouth					
	Length of valid tube (mm)	Cround mouth	Ground stopper	Total length (mm)	Price USD/UNIT	
	200	19/26	3.3	335	1.784	
	200	24/29	3.3	345	1.998	
	300	19/26	4.9	435	1.872	
	300	24/29	4.9	445	2.069	
	300	29/32	4.9	460	2.463	
	400	19/26	6.5	535	1.958	
	400	24/29	6.5	545	2.188	
	400	29/32	6.5	560	2.605	


 5052	5052	RECEIVING TUBE 105°				
		Standard ground mouth				
	Ground mouth	Ground stopper	Price USD/UNIT			
	10/19	10/19	1.461			
	14/23	14/23	1.563			
	19/26	19/26	1.714			
	24/29	19/26	1.816			
	24/29	24/29	1.926			
	29/32	29/32	2.323			




5053

5053		VACUUM RECEIVING TUBE 105 ⁰			
Standard ground mouth					
Ground mouth	Ground stopper	Price USD/UNIT			
10/19	10/19	1.721			
14/23	14/23	1.825			
19/26	19/26	1.982			
24/29	19/26	2.140			
24/29	24/29	2.188			
29/32	29/32	2.574			




	5054A	VACUUM RECEIVING TUBE				
		Standard ground mouth				
	Ground mouth	Ground stopper	Price USD/UNIT			
	10/19	10/19	1.209			
	14/23	14/23	1.311			
	14/23	19/26	1.390			
	19/26	19/26	1.461			
	19/26	24/29	1.563			

 5054A	24/29	24/29	1.667			
	24/29	29/32	1.872			
	29/32	29/32	2.093			




5054B


5054B	5054B		RECEIVING TUBE 105° bent			
			Standard ground mouth			
	Ground mouth	Ground stopper	Price USD/UNIT			
	10/19	10/19	1.209			
	14/23	14/23	1.303			
	14/23	19/26	1.390			
	19/26	19/26	1.461			
	19/26	24/29	1.563			
	24/29	24/29	1.737			
	24/29	29/32	1.872			
	29/32	29/32	2.093			

 5055	5055	ADAPTER 105° bent				
		Standard ground mouth				
	Ground mouth	Ground stopper	Price USD/UNIT			
	10/19	110	0.735			
	14/23	120	0.782			
	19/26	130	0.861			
	24/29	140	0.956			
	29/32	150	1.161			

 5055A	5055A	ADAPTER straight				
		Standard ground mouth				
	Ground mouth	Ground stopper	Price USD/UNIT			
	10/19	150	0.735			
	14/23	160	0.782			
	19/26	163	0.861			
	24/29	185	0.956			
	29/32	200	1.161			

 5056	5056		SUCTION ADAPTER			
			Standard ground mouth			
	Ground mouth	Ground stopper	Price USD/UNIT			
	10/19	10/19	1.209			
	14/23	14/23	1.311			
	14/23	19/26	1.398			
	19/26	19/26	1.469			
	19/26	24/29	1.572			
	24/29	24/29	1.667			
	24/29	29/32	1.872			
	29/32	29/32	2.093			


 5057	5057	RECEIVING TEST TUBE				
		Standard ground mouth				
	Ground mouth	O.D. of side tube (mm)	Price USD/UNIT			
	14/23	10	0.884			
	19/26	12	0.963			
	24/29	12	1.217			



	5058	RECEIVING TUBE				
		Standard ground mouth				
	Upper ground mouth	Oblique ground mouth	Lower ground stopper	Price USD/UNIT		
	14/23	14/23	14/23	1.998		
	19/26	19/26	19/26	2.219		

 5058	24/29	24/29	24/29	2.519		
	29/32	29/32	29/32	3.126		

 5065	5065		STANDARD STOPPER hollow			
			Standard ground mouth			
	Ground mouth	Length (mm)	Price USD/UNIT			
	10/19	42	0.739			
	14/23	50	0.815			
	19/26	63	0.900			
	24/29	70	1.011			
	29/32	73	1.319			
	34/35	82	1.516			
	40/38	85	1.588			
	50/42	90	2.211			

 5066	5066		JOINT with stopcock			
			Standard ground mouth			
	Ground mouth	O.D. of upper tube (mm)	Price USD/UNIT			
	10/19	7	1.493			
	14/23	8	1.540			
	19/26	8	1.611			
	24/29	8	1.714			
	29/32	8	1.926			

 5067	5067		ADAPTER STOPPER bent			
			Standard ground mouth			
	Ground mouth	O.D. of upper tube (mm)	Price USD/UNIT			
	10/19	6	0.790			
	14/23	7	0.837			
	19/26	8	0.893			
	24/29	8	1.011			
	29/32	8	1.216			

 5069	5069		DOUBLE VENT-PLUG			
			Standard ground mouth			
	Ground stopper	Length (mm)	Price USD/UNIT			
	10/19	30	0.584			
	14/23	35	0.632			
	19/26	40	0.711			
	24/29	45	0.815			
	29/32	50	1.011			

 5071	5071		ADAPTER with two stoppers			
			Standard ground mouth			
	Upper ground stopper	Lower ground stopper	Length of middle tube (mm)	Price USD/UNIT		
	10/19	10/19	70	0.963		
	14/23	14/23	70	1.105		
	19/26	19/26	80	1.209		
	24/29	24/29	80	1.414		
	29/32	29/32	90	1.816		
	34/35	34/35	100	2.188		
	40/38	40/38	100	2.425		

	5072		ADAPTER with double mouths			
			Standard ground mouth			
	Upper ground mouth	Lower ground mouth	Length of middle tube (mm)	Price USD/UNIT		
	10/19	10/19	85	0.963		

 5072	14/23	14/23	95	1.105		
	19/26	19/26	110	1.209		
	24/29	24/29	110	1.414		
	29/32	29/32	130	1.816		
	34/35	34/35	130	2.188		
	40/38	40/38	130	2.425		

 5073	5073		ADAPTER with one stopper			
			Standard ground mouth			
	Ground stopper	Length of lower tube (mm)	Price USD/UNIT			
	10/19	40	0.482			
	14/23	40	0.530			
	19/26	45	0.610			
	24/29	55	0.703			
	29/32	60	0.909			
	34/35	60	1.090			
	40/38	60	1.209			
	45/40	60	1.437			
	50/42	60	1.698			

 5074	5074		ADAPTER with one ground mouth			
			Standard ground mouth			
	Ground mouth	Length of lower tube (mm)	Price USD/UNIT			
	10/19	100	0.482			
	14/23	100	0.530			
	19/26	100	0.610			
	24/29	120	0.703			
	29/32	120	0.909			
	34/35	120	1.090			
	40/38	120	1.209			
	45/40	120	1.437			
	50/42	120	1.698			

	5076		JOINT small mouth and big stopper			
			Standard ground mouth			
	Ground mouth	Ground stopper	Price USD/UNIT			
	10/19	14/23	1.516			
	10/19	19/26	1.595			
	10/19	24/29	1.690			
	14/23	19/26	1.642			
	14/23	24/29	1.737			
	14/23	29/32	1.942			
	19/26	24/29	1.825			
	19/26	29/32	2.037			
	19/26	34/35	2.203			
	24/29	29/32	2.132			
	24/29	34/35	2.298			
	24/29	40/38	2.425			
	24/29	50/42	2.905			
	29/32	34/35	2.495			
	29/32	40/38	2.630			
	29/32	50/42	3.111			


	5077		JOINT big mouth and small stopper			
			Standard ground mouth			
	Ground mouth	Ground stopper	Price USD/UNIT			
	14/23	10/19	1.816			
	19/26	10/19	1.895			
	19/26	14/23	1.958			
	24/29	10/19	2.014			
	24/29	14/23	2.053			

	24/29	19/26	2.132			
	29/32	19/26	2.330			
	29/32	24/29	2.425			

 5081	5081	TRANSMITTING GAS TUBE				
	Ground stopper	Standard ground mouth				
		Length of lower tube (mm)	Price USD/UNIT			
		10/19	300	0.735		
		14/23	300	0.790		
		19/26	300	0.861		
		24/29	300	0.956		
		29/32	300	1.161		


 5082	5082	JACKET TUBE used on Thermometer				
	Ground stopper	Standard ground mouth				
		Length of lower tube (mm)	Price USD/UNIT			
		14/23	40	1.035		
		14/23	100	1.035		
		19/26	40	1.114		
		19/26	100	1.114		
		24/29	40	1.209		
		24/29	100	1.209		

 5098	5098	DRYING TUBE straight shape				
	Ground mouth	Standard ground mouth				
		Length (mm)	Price USD/UNIT			
		10/19	172	0.735		
		14/23	175	0.782		
		19/26	178	0.861		
		24/29	181	0.963		
		29/32	185	1.161		


 5099	5099	DRYING TUBE oblique shape				
	Ground stopper	Standard ground mouth				
		Total length (mm)	Price USD/UNIT			
		10/19	150	0.884		
		14/23	150	0.932		
		19/26	150	1.011		
		24/29	150	1.114		
		29/32	150	1.319		

 5100	5100	SEPARATORY FUNNEL globe shape				
	Capacity (ml)	Standard ground mouth				
		Ground mouth	Ground stopper	Length (mm)	Price USD/UNIT	
		125	14/23	14/23	180	3.072
		125	19/26	19/26	195	3.221
		125	19/26	24/29	203	3.442
		250	19/26	19/26	210	3.442
		250	24/29	24/29	220	3.830
		250	24/29	29/32	226	3.442
		500	24/29	24/29	243	3.537
		500	24/29	29/32	248	3.830


	5101	SEPARATORY FUNNEL cylindrical shape
		Standard ground mouth



Capacity (ml)	Ground mouth	Ground stopper	Length (mm)	Price USD/UNIT	
10	10/19	10/19	148	2.716	
25	10/19	10/19	175	2.716	
25	14/23	14/23	186	2.826	
50	14/23	14/23	213	2.826	
50	19/26	19/26	220	2.961	
50	24/29	24/29	230	3.184	
100	14/23	14/23	230	2.826	
100	19/26	19/26	240	2.961	
100	24/29	24/29	250	3.184	
250	19/26	19/26	260	2.961	
250	24/29	24/29	270	3.184	



5102		FUNNEL 60°			
		Standard ground mouth			
O.D.of mouth (mm)	Ground stopper	Price USD/UNIT			
40	10/19	0.979			
40	14/23	1.035			
40	19/26	1.114			
60	14/23	1.035			
60	19/26	1.114			



5103		SEPARATORY FUNNEL Constant pressure			
		Cylindrical shape, standard ground mouth			
Capacity (ml)	Ground mouth	Ground stopper	Length (mm)	Price USD/UNIT	
100	19/26	19/26	280	3.474	
100	24/29	24/29	286	3.679	
250	19/26	19/26	305	3.737	
250	24/29	24/29	310	3.932	
250	29/32	29/32	322	4.342	